4%

Price Increase effective January 1, 2016

APR2015

SATELLITE

Planning Guide + Price List

NUCRAFT

You design. Let us handle the details.

Nucraft offers a free, online product configuration and specification service that saves you time and allows you to be creative while leaving the nuts and bolts to someone else.

- No special software is required, nor is there any learning curve.
- The service applies to all Nucraft products including private office products, conference room products, reception stations, and training tables.
- You can generate quick and accurate answers for budget estimates and/or quick and exact specifications for final quotes.
- Revisions can be made any time you like, and total accuracy is guaranteed.

How it works.

Called iSpec, this service is as close as your phone and your Internet-connected computer. You can use it anytime you need to configure, specify, or price Nucraft furniture. Here is how it works :

1. Schedule an iSpec session by calling 1-877-NUCRAFT or by visiting www.nucraft.com/ispec. (You will be asked to provide some preliminary information on the project. We will respect the confidentiality of the information.)

2. At the scheduled time, a Nucraft project specialist will contact you at the telephone number you provide.

3. You will be directed to the online collaboration site. (All you need is an Internet connection and a Web browser.)

4. Once you are at the site, the Nucraft project specialist will work with you in real time to configure the required product based on your specific direction. (Watch the screen as your workstation appears.)

5. When the specification process is completed, you will receive 2-D or 3-D drawings, the specification itself with guaranteed accurate pricing, and the estimated lead time. (Follow-up sessions may be scheduled at your request to make any necessary modifications.)

iSpec—it's fast, it's flexible, it's a free service from Nucraft.

Table of Contents

INTRODUCTION 2-10
General Information 2-3
Finish Information 4-5
Surface Materials 6-7
Upholstery Fabric 8
COM Specification 9
CONFERENCING PRODUCTS 11-344
Agility 11-34
Planning 13-23
Tables 24-29
Ancillary Products 30-31
Power Options 32-33
Arena 35-52
Planning 38-45
Benches & Consoles 46-51
Occasional Tables 52
Ativa 53-78
Planning 55-67
Enclosed Squares & Rectangles 68-72
U-Shaped 73-77
Discovery 79-96
Planning 80-91
Tables and Power Options 92-95
Elevare 97-120
Planning 99-107
Tables and Power Options 108-116
Credenzas and Media Consoles 117-119
Flow 121-176
Planning 124-139
Flow XT Tables and Power Options 140-148
Flow Tables and Power Options 149-172
Credenzas 173-176
Forte 177-198
Planning 179-187
Tables and Power Options 188-195
Credenzas and Lecterns 196-198
Kai 199-214
Planning 201-205
Tables and Power Options 206-211
Credenzas 212-213
Neos 215-236
Planning 218-223
Tables and Power Options 224-233
Credenzas and Presentation Products 234-236
Passport 237-274
Planning 239-259
Tables and Power Options 260-273
Activity Walls 274
Performance Credenzas 275-290
Planning 277-281
Credenzas 282-289
Recycle Center 291-300
Planning 293-297
Recycle Center 298-299
Saber 301-318
Planning 303-309
Tables and Power Options 310-315
Credenzas, Phone Stands and Tech Carts 316-318
Tavola 319-330
Planning 321-325
Tables and Power Options 326-328
Credenzas 329
Tesano 331-344
Planning 333-339
Tables and Power Options 340-344
TRAINING PRODUCTS 345-396
Fleet 345-364
Planning 347-351
Tables, Tops and Accessories 352-363
Saber 365-376
Planning 367-369
Tables, Tops and Accessories 370-376
Satellite 377-396
Planning 379-385
Tables, Tops and Accessories 386-396
PRESENTATION PRODUCTS 397-418
High Tech Lectern 400-404
Neos 406
Reveal 408-417
Whiteboards 418
POWER & DATA PLANNING 419-432
Power Center 422-425
Perimeter Power 426-427
Power Cove 428-429
Tech Node 430
Grommet 431
OCCASIONAL TABLES 433-450
Aja 436
Arena 437
Camelot 438
Eased Edge 439
Emme 440-441
Moment 442
Paragon 443
Plaza 444
Shine 445
Stratum 446
Talis 447
Tiro 448
View 449
BENCHES 451-458
Camelot 453
Eased Edge 453
Emme 454
Moment 455
Plaza 456
Talis 457
Tiro 457
BOOKCASES 459-461
Bookcases 460-461

General Information

This price book supercedes all previous versions.

Before placing your order, confirm you have all required information necessary. Lead times for orders begin after all required information is included and correct.

Delivery Information
We know lead times are important and sticking to them even more so. We work to maintain a 6-8 week lead time on all standard products in this book from receipt of a clean order. All orders are acknowledged with an approximate shipping date and will be invoiced with the price in effect at the date the purchase order is received.

Shipping charges are prepaid (within the continental U.S.). Therefore, pricing is a delivered price based on normal ground transportation. If you have special instructions, need to ship by air, or are shipping to Alaska or Hawaii, contact Nucraft Customer Service. Nucraft can also help arrange to have products blanket wrapped for an additional charge. Contact the Nucraft Customer Service team or specify it on your purchase order.

Minimum Freight Charge: Any order below $2,000 net will be assessed a $250 net minimum freight charge (one per order).

Orders are subject to acquiring the materials required for manufacturing. Fulfillment can be affected by strikes, fires, embargoes and acts of government. These elements are beyond our control.

Nucraft offers a variety of services to accommodate a wide range of delivery requirements. Availability of these services is dependent on a number of factors and may not be offered with all shipments. Examples of delivery services that have additional fees include:

- Specific date within our standard 3-5 day delivery window (for orders under $50,000 net)
- Specific time of day, morning or afternoon (for orders under $50,000 net)
- Delivery to a warehouse before delivery to its final destination (unless product is picked up at the warehouse)

Contact the Nucraft Customer Service team for availability and pricing on these services.

Freight Terms
Shipping charges for Nucraft products are prepaid for standard delivery in the continental United States. Standard delivery is defined as follows: Product is delivered on a 53' trailer being pulled by a long-haul tractor (total length of 85'). Facility will receive delivery Monday through Friday between the hours of 8:00 AM and 4:00 PM. Facility has docks with levelers and a fork truck for unloading. Product will be loaded on load bars two levels high. Receiving facility is responsible to have personnel on hand to unload the truck upon arrival, drivers do not unload. Delivery sites or times that do not meet this criteria will be accommodated, but will typically incur a charge to cover additional shipping costs. Please notify Nucraft in advance of the shipment if this is the case and the additional charge (if any) will be determined by Nucraft.

Product ships FOB dock. The customer obtains title to their product and materials, and assumes the risk of loss for them, upon shipment from Nucraft's facilities.

Storage
Nucraft has no storage facilities for finished product. If a customer cannot accept an order when it is ready for shipment, the customer must designate an alternative shipping address. If no address is provided, Nucraft may, at its discretion, transfer the product to storage. If product is transferred to an off-site storage facility, the customer may be charged for transportation to the facility and for any associated storage fees. Nucraft considers transfer of the product to a storage facility the equivalent of shipment, including invoicing and payment. Customers assume the risk of damage or loss during storage.

Transportation Times and Delays
Third party carriers that Nucraft contracts with will make reasonable efforts to accommodate requested delivery times and dates. Scheduled delivery appointments may, however, be delayed for a variety of reasons, including inclement weather, traffic, transportation equipment problems, and delays encountered at other delivery locations along the delivery route. Nucraft does not recommend scheduling activities that depend on the delivery appointment (for example, scheduling furniture installers to install furniture the day of the delivery appointment). Nucraft shall not be liable for any costs incurred as a result of a missed delivery appointment.

Shipment Damage Claims
Legal title to merchandise passes to the buyer upon acceptance by the carrier. **Inspect all cartons upon delivery.** Details of visible damage should be noted on the delivery receipt. Do not install product if damage is found upon inspection. The carrier should be notified by the buyer to inspect the merchandise, and file a claim immediately. If visible damage is not apparent, sign the delivery receipt "No visible damage." This will allow recourse for a concealed damage claim. Although most claims for transportation damages must be filed against the carrier within nine months of the date of delivery, concealed damage claims must be filed within 15 days of receipt.

Do not destroy packing materials until shipment has been inspected. Then proceed to file a claim with the carrier.

Failure to make any claims against Nucraft within 10 days shall constitute acceptance of the merchandise and a waiver of any defects, errors or shortages discovered upon inspection.

Cancellations
Cancellations must be reviewed by our Customer Service team. Because we build your products to order, orders cannot be cancelled once processing has begun. Processing includes but is not limited to development of shop drawings and other engineering drawings. If cancellation is approved, a processing fee of 20-100% will be assessed based on the status of the order.

Change Order Policy
Nucraft will make every attempt to honor any reasonable change request to product provided that the request is received prior to start of production. Change orders will be accepted only if the request is made in writing and received in time to make the change. Nucraft reserves the right to increase our acknowledged price and ship date if necessary to make the requested changes. Please submit any change order request to our Customer Service team. Nucraft will assess charges to the customer as stipulated in the following:

- Standard Orders: Change orders received prior to production will be charged $200 net to cover print and administrative costs.
- Special Orders: Change orders received prior to production will be charged $200 net to cover print and administrative costs. There may be additional costs associated with engineering labor required for the change order.
- Change orders received after production must be evaluated by Nucraft. If approved, the charge will be $200 net plus any restocking charges accumulated. There may be additional costs associated with engineering labor required for the change order.

General Information

Repair Authorization
Prior written approval is required for repairs of merchandise charged to Nucraft. Failure to do so will result in customer funded repairs.

Payment Terms
Terms consist of a 1% cash discount for payment within 10 days of invoice date, or payment of the net amount within 30 days of the invoice date (1% 10 days, net 30 days). Discount is not allowed on credit card payments.

Credit Card Payments
When paying by credit card (Visa, Mastercard or American Express), include the card number, expiration date, card holder name (printed) and card holder signature on the purchase order. A credit card payment form is available upon request. No cash discount allowed on credit card payments.

Warranty
Nucraft warrants that each piece of furniture it manufactures will be free from defects in materials and workmanship for a period of ten years of single-shift use. Textiles, decorative trim, electrical components, lamps, mechanical devices, casters and custom-made products not described in Nucraft's catalog are warranted for one year from the date of original delivery. Height adjustable desk mechanisms are warranted for two years. This warranty is applicable only if the furniture is given normal and proper care and is properly installed and maintained in an office environment. This warranty extends only to products manufactured and sold in North America and only to original purchasers acquiring new Nucraft products through authorized dealers, or from others specifically authorized by Nucraft to sell its products.

Nucraft's sole obligation under this warranty is to repair or replace, at Nucraft's discretion, products which prove to be defective during the warranty period. Purchasers may be required to establish that a claim is within the warranty period. To initiate a warranty claim, the purchaser should contact an authorized Nucraft dealer.

This warranty does not cover: 1) Damage caused by a carrier 2) COM (Customer's Own Material) specified by the customer that is not a standard product offering 3) Color, grain or texture of wood and other covering materials (due to the natural variations over which Nucraft has no control) 4) Damages resulting from user modification, attachments to a product, misuse, abuse, alteration or negligent use.

Nucraft extends no other warranties, expressed or implied, including warranty of merchantability or fitness for a particular purpose. Nucraft shall not be liable for loss of time, inconvenience, commercial loss, incidental or consequential damages.

Environmental Statement
Nucraft is committed to supporting responsible environmental policies and practices in all that we do. We strive for sustainability, weighing our business decisions against the costs to the ecological, social and economic systems they affect.

Our products are manufactured to meet the credit requirements of the U.S. Green Building Council's LEED rating systems in one or more of the following categories:

- Recycled Content
- Certified Wood
- Low-Emitting Materials

Computer Aided Planning
Nucraft products and pricing are available on CD via 2020 Cap, an AutoCAD®-based space planning tool.

2020 Cap is an integrated software system developed specifically for interior designers and facility planners to enhance workplace performance. This modern suite of applications works together seamlessly, in concert. Navigate catalogs, select products, design in plan view and 3D, assign options, create worksheets and build a project where you want, when you want. Take your pick. It's dynamic and interactive. Design projects are a work in progress. And now you can perform any of the many discrete tasks that go into a project any time, any place.

For additional information, you may contact 2020 Cap direct at 800-227-0038.

iSpec®
Nucraft offers a free online product configuration and specification service that saves you time and allows you to be creative while leaving the nuts and bolts to someone else. No specific software is required, nor is there any learning curve. This service applies to all Nucraft products. For additional information, call 1-877-NUCRAFT and ask for the iSpec Team or log on to www.nucraft.com/ispec.

Finish Information

Surface Materials Palette
We crafted our materials palette using the same demanding standards that distinguish our furniture. Thoughtful design and attention to every detail elevate your possibilities.

Anchored by Nucraft veneers, unrivaled for clarity, quality, and depth of finish, our collection of surface materails comprises a sophisticated set of balanced elements that supports your design vision.

Some elements have their roots in Nucraft's rich heritage. Other's are new materials and refelct current trends and taste. Together, they ensure that you're ready for today and positioned well for the future. Beautifully.

Custom Finishes
Nucraft specializes in expert custom finish matching. For a nominal upcharge we can provide custom finishes, and we are frequently asked to match the finishes of other furniture manufacturers. For orders over $5000 list, a finish sample will automatically be sent for approval prior to entering the order. Additionally, for finishes that appear unusual to match or for customers directly requesting a sample, a finish sample will also be sent for approval prior to entering the order.

Custom finishes requiring colored varnishes to create a painted look can only be applied to Maple veneer and require one extra week in addition to the standard leadtime. Nucraft's standard black finish (G82) can be applied to all Nucraft standard veneers. Walnut is the standard black veneer. Other species must be specified when ordering.

Custom finishes carry a 10% upcharge per item, per finish.

Do not add the finish upcharge to any item that is not wood. Example: casters, ganging connectors.

Treatments
Note: Default veneer sheen will vary per finish and were determined by a team of experts who reviewed the colorways to determine if gloss or matte best highlighted the natural characteristics of the species of wood and the color of the stain. Default finish is bolded on Page 8. If no direction is provided on incoming orders, default sheen will be selected.

Gloss: Gloss is a durable finish that tends to nicely mask normal wear and leaves wood grain visible to the eye. It achieves a medium gloss open pore appearance (40 – 50 sheen range). Finish numbers preceded by the letter "G" indicate a Gloss finish.

Matte: Like Gloss, Matte is durable, tends to nicely mask normal wear and leaves wood grain visible to the eye. It achieves a low luster, open pore appearance (10 – 20 sheen range). Finish numbers preceded by the letter "M" indicate a Matte finish.

Since each veneer type responds differently to both types of treatment, all will have a distinctive look and feel when finished. For example, a Walnut veneer with a Gloss treatment will remain much more textured than a Cherry veneer with the same treatment.

About the Wood
All Nucraft veneers are carefully selected for uniformity of color and grain. Still, wood is a natural substance and minor variations may occur due to its own uniqueness. Because of this, the furniture you receive may not be an exact match to our samples.

Nucraft takes great pride in our finish color consistency. However, wood is a natural product that will have color variation within a single piece of furniture, as well as from one piece to the next. Other factors also affect color over time, such as exposure to light (both intensity and duration). For example, lighter finishes cause more variation in colors over time.

In cases where a returning customer wants a precise match with existing furniture, we recommend sending a sample of the existing furniture finish. Please contact Nucraft Customer Service to determine an appropriate sample. This will ensure a finish match between old and new orders. This type of order is considered a control sample. There will be a 10% upcharge on an order of this type. Due to natural aging of veneers, natural finishes may vary.

Care and Maintenance of Wood Finishes
Our finish material is a crystal clear, urethane acrylic blend. This type of finish may be repaired in the field by a qualified refinisher.

Nucraft recommends using a damp cloth to clean your fine wood furniture. Always wipe with the grain of the wood. Should your wood furniture require a more thorough cleaning, we recommend using a mild cleaner such as Joy dish soap or Murphy's oil soap, thoroughly diluted in water (one part soap to thirty parts water). Water will not damage Nucraft's finish, but will leave surface spots when it dries. To avoid this, dry the surface with a soft cloth after it is cleaned. Marks that cannot be removed with the cleaning methods above may be able to be removed using naptha, a mild degreasing solvent.

Caution: while the use of polishes that contain wax, petroleum solvents or silicones may immediately enhance the "shine" of a product, it may also eventually remove the fine original finish applied in our factory. Silicone on the surface of wood may also make it very difficult to respray or refinish.

All Nucraft furniture is inspected and polished before it leaves our factory. In some instances, the packing materials may imprint on the factory polish. Cleaning and polishing the furniture once it is unpacked will normally restore the furniture to its original beauty.

In some cases, the rubber support feet used on the bottom of common office equipment (teleconferencing phones, laptops, microphones, copiers, etc.) can create unsightly marks in the surface of wood tops, due to oxidation of the lacquer finish. We suggest these machines be placed on a protective type of padding, such as felt.

Finish Information

Laminates
Selected Formica® and Nevamar® laminates are available on Training Tables, Conference Tables, Conference Room Furniture and select Occasional Tables. For standard laminate and wood pricing, refer to individual item pricing columns.

Non-Standard Laminates
To order a color other than those on our list (see Page 7), refer to Nevamar or Formica standard grade, matte texture laminate offerings (excluding manufacturers' non-standard matte offering). **Add $90 list per item for a non-standard solid, matrix or pattern.** Add 20% per color for woodgrain laminates (includes stained-to-match for remainder of unit to match laminate color). Add one week to the lead-time for all non-standard laminate orders. Call the Nucraft Customer Service team for quotes on premium grades and laminates. Mirror and metal laminates are not available.

Care and Maintenance of Laminate
Laminate surfaces may be cleaned with a damp cloth and ordinary soap or non-abrasive household liquid detergent. Dry the surface with a clean cloth or soft paper towel to prevent streaks from appearing.

Care and Maintenance of Metal
Metal surfaces can be wiped with a damp cloth and rubbed dry. A mild non-abrasive household liquid detergent can be used if necessary. Regular maintenance of metal components, including tightening of fasteners and light lubrication of moving parts, will extend the life of your furniture.

Care and Maintenance of Glass
Clear or frosted glass may be cleaned with commercial glass cleaner. Be sure to use a lint-free cloth if cleaning the frosted side of the glass.

Stone and Solid Surface Material
Despite its reputation for durability, natural stone can easily be broken during handling and/or installation if proper techniques are not followed. In addition, Nucraft is not responsible for the installation of natural stone or solid surface materials on its products. Therefore, installers specifically trained in the installation of these materials must be utilized to ensure a quality installation. Nucraft shall not be liable for any damages incurred during the handling and/or installation of natural stone or solid surface materials on its products.

Care and Maintenance of Granite
Granite surfaces may be cleaned with a damp cloth and ordinary soap or non-abrasive household liquid detergent. Dry the surface with a clean cloth or soft paper towel to prevent streaks from appearing.

Care and Maintenance of Leather
Genuine leather requires very little care. Nucraft recommends that leather be dusted regularly. If a more thorough cleaning is needed, use lukewarm water and a mild, non-abbrasive soap. Generate some lather and lightly rub the surface with cheesecloth. Rinse off any soap film with clean water and towel dry. The leather may dry dull. To restore the leather to a normal gloss, rub it with a clean towel. Never use furniture polish, oil, varnish or ammonia. Saddle soap may be used to prevent the leather from becoming brittle or cracked and to maintain the original supple finish.

Touch Up Finish Kits

Model #	Description	Price
KIT-M	Metal Kit	80
KIT-P	Paint Kit	80
KIT-S	Stain Kit	80

REQUIRED INFORMATION:
(ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)
- Kit model number
- Quantity of kits
- Specify finish (See Pages 6-7)

General Information:
- Touch-up kits must be ordered on a purchase order separate from Nucraft product due to Hazmat shipping

Satellite Surface Materials

Satellite Surface Materials

WOOD FINISHES

STANDARD

Default veneer sheen will vary per finish and were determined by a team of experts who reviewed the colorways to determine if gloss or matte best highlighted the natural characteristics of the species of wood and the color of the stain. Default finish is bolded. If no direction is provided, default sheen will be selected.

	Matte	Gloss
Ash		
Chalk	M48	**G48**
Creme	M41	**G41**
Angora	**M49**	G49
Oat	M45	**G45**
Smoke	M47	**G47**
Rift Cut Oak		
Nougat	**M01**	G01
Wheat	**M02**	G02
Praline	**M04**	G04
Carbon	M03	**G03**
Cherry		
Sherry	M20	**G20**
Cognac	M21	**G21**
Spring	M95	**G95**
Auburn	M93	**G93**
Walnut		
Marron	**M35**	G35
Mocha	**M33**	G33
Zinc	M30	**G30**
Onyx	M82	**G82**
Otter	M31	**G31**
Double Cut		
Canvas	M2210	**G2210**
Pearl Gray	M2220	**G2220**
Cashmere	M2211	**G2211**
Charcoal	M964	**G964**

METAL FINISHES

Burnished	A8009
Cloud	A8004
Foil	A8006
Galaxy	A8007
Shadow	A8005

LAMINATES

	Code	Coordinating Wood Finish
Wood Grain Laminates		
Formica White Ash	8841-58	M8841
Formica Natural Ash	8843-58	M8843
Formica Aged Ash	8844-58	M8844
Formica Weathered Ash	8842-58	M8842
Formica Oiled Legno	8846-58	M8846
Formica Bleached Legno	8845-58	M8845
Formica Jarrah Legno	8847-58	M8847
Formica Blackened Legno	8848-58	M8848
Formica Pecan Woodline	5883-58	M5883
Formica Chestnut Woodline	5884-58	M5884
Solid Laminates		
Formica Bright White	459-58	
Formica Dover White	7197-58	
Formica Pearl	934-58	
Formica Graystone	464-58	
Formica Folkstone	927-58	
Formica Graphite	837-58	
Patterned Laminates		
Nevamar Cool Chic	VA7002T	
Nevamar Serene Stardom	VA5001T	
Nevamar Calm Distinction	VA6001T	
Nevamar Easy Elegance	VA5002T	
Wilsonart Sheer Mesh	4876-38	
Wilsonart Grey Mesh	4877-38	
Wilsonart Pewter Mesh	4878-38	

PVC FINISHES

Maritime Gray	V-627
Black Pearl	V-614
Black	V-653

Upholstery Fabric

Applies to Benches

Nucraft is pleased to have partnered with KnollTextiles, Spinneybeck, and UltraFabrics to offer a concise selection of standard upholstery fabrics pre-approved for use on our products, with prices that are figured into our graded-in system. We've carefully curated a selection of each of the textile's color lines to coordinate with our materials offering. However, all colorways are approved and available as standard. Please contact fabric manufacturer for sampling support.

Knoll Felt* | K1207 | Grade C

Ivory	1
Apple	3
Canary	5
Poppy	7
Cadet	11
Mocha	15
Pewter	17
Tar	20

Knoll Hopsack* | K1206 | Grade C

Buff	1
Stucco	2
Lime	4
Magenta	9
Red	10
Admiral	11
Putty	13
Black	16

Knoll Hourglass* | K1523 | Grade A

Gull	2
Sandbar	3
Flax	5
Beeswax	6
Sizzle	9
Tart	11
Bluebird	13
Spring	16
Bark	21
Misty	24
Alley	27

*In addition to being available on all of our bench and pedestal cushion applications, these upholstery fabrics are approved for tackzone application on Nucraft products.

Spinneybeck Volo | VO | Grade F

Lichen	902
Rust	905
Talc	939
Mauve Beige	954
Oatmeal	957
Parchment	960
Petroglyph	962
Tuscany	963
Casablanca	975
Dromedary	977
Black	BLCK

Spinneybeck Vincenza | VZ | Grade E

Salvi	2101
Ponte Furo	2102
Villabalzana	2108
Castello di Bellaguardia	2112
Scamozzi	2114
Peralolo	2115
Costozza	2116
Nocciola	2117
Appia Antica	2120
Cinque Terre	2122
Black	BLCK

UltraFabrics Brisa | 303 | Grade B

French Vanilla	3866
Birch	3019
White	5747
Bone	3822
Shiitake	3022
New Sand	3946
Bark	3914
Peat	3200
Canyon	3825
Coffee Bean	3023
Black Onyx	5749

GRADED-IN FABRIC PROGRAM

Top quality upholstery and fabrics from some of the biggest names in the textile industry have been graded into this price list. For a current list of graded-in manufacturers and additional information on our graded-in fabrics program, please go to www.nucraft.com. All Graded-In and COM fabrics will require pre-approval for use on Talis and Arena benches. Please contact Nucraft Customer Service for assistance with this process.

NET PRICE PER YARD	NUCRAFT GRADE
$0 - $20.00	A
$20.01 - $35.00	B
$35.01 - $50.00	C
$50.01 - $65.00	D
$65.01 - $80.00	E
$80.01 - $95.00	F
$95.01 - $110.00	G
$110.01 - $125.00	H

COM Specification

For COM orders please include the following:

- Name of customer
- Customer's purchase order number
- Model number and quantity of piece(s) to be covered
- Specify right-way or railroad application (railroad is the default if no selection is made)
- If fabric is a stripe or pattern, specify vertical or horizontal application
- Supplier's name, material number and description

YARDAGE ESTIMATING

All yardages in the price list are based on 54" wide plain (no match) fabric. The following is a guide for fabrics that are less than 54" wide or have a pattern match.

Fabric Less Than 54" Wide

For 50" wide fabrics allow 10% additional fabric
For 48" wide fabrics allow 15% additional fabric
For 45" wide fabrics allow 20% additional fabric
For 36" wide fabrics allow 50% additional fabric

For Pattern Match Fabrics

3" to 14" repeat allow 15% additional fabric
15" to 19" repeat allow 20% additional fabric
20" to 27" repeat allow 25% additional fabric
28" to 36" repeat allow 30% additional fabric

Nucraft may add a charge for sewing, cutting and matching unusual COM or COL materials to cover additional costs. Call customer service for pricing.

It is the sole responsibility of the customer to determine that the fabric is appropriate for the application in which it will be used. Once COM/COL is accepted, Nucraft assumes no responsibility for its overall appearance, flammability, normal durability, color fastness or any other quality after upholstered on a Nucraft product beyond our normal quality standards.

All Graded-In and COM fabrics will require pre-approval for use on Talis and Arena benches. Please contact Nucraft Customer Service for assistance with this process.

The fabric should be sent to the following address:
Nucraft Furniture Company
5151 West River Drive
Comstock Park, MI 49321
Attn: Order Processsing

FIRE RESISTANCE

All Nucraft benches incorporating upholstery fabrics meet California Technical Bulletin 116/117 and BIFMA X5.7 - Voluntary Upholstered Furniture Flammability Standard for Non-Residential, Non-Live-In Occupancies.

COM LEATHER SPECIFICS

The following is a guide for specifying leather requirements. The guide is based on the following general information.

A full "domestic" hide is approximately 50-60 square feet. A specialty or calf hide is approximately 35 square feet. Of this footage there are various non-usable areas included in the hide's size. Conversion of fabric yardage to leather is approximately 1 yard = 18 square feet.

Bench Requirements

48" benches will require 1/2 domestic hide or 1 full calf hide.

60" benches will require 1 domestic hide or 2 calf hides.

72" benches will require approximately 1 full domestic hide or 3 calf hides.

The boxing around the seat, if required, will have 4-6 seams that will be placed aesthetically based on the yield and usable remains of the hides.

Satellite® Training Products

Satellite®

Overview

SHARED LEG TOPS

Pages 386-387

Rectangle

Trapezoid

Arc Trapezoid

Double Radius

Half-Round Tops

Quarter Round Tops

Sight Line Tops

TABLE LEGS

Page 388



"T" Leg



"C" Leg



Modesty Panels

FOLDING TABLES

Page 389

STATIONARY T-LEG TABLES

Pages 389-391

STATIONARY C-LEG TABLES

Pages 389-391

STATIONARY CONNECTING TOPS

Page 391

COMPUTER TRAINING TABLES

Page 392

MODESTY PANEL

Page 394



TABLE DOLLY

Page 390



Satellite® Planning

Section Contents

Electrical Components 380
Electrical Planning 381-382
Voice/Data Planning 383
Round Grommet and Tech Node Locations 384



Legs

- Equipped with removable covers for cable routing.
- Inside of leg cover is slotted to allow power entry into the modesty panel.



Electrical System

- 8-wire, 4-circuit modular system.
- Transfers power between adjacent tables from a single point of entry.
- All components, except the plug-in power in-feed, are UL listed and meet NEC requirements; the plug-in power in-feed is not UL listed but does meet NEC standards.

Side Elevation View



Modesty Panel

- Attaches to table with tabs that latch into slots in the leg.
- Features a voice/data raceway with cover.
- Raceway cover is constructed of extruded PVC and contains cutouts for customer supplied modular furniture faceplates and snap-in connectors.
- Physical barrier between power and data channels meets Category 5 performance requirements.
- Mounting clips allow for optional field installation of modular electrical system.

End Elevation View



Satellite® Planning

Electrical System Components

Power Assembly

- Mounts into Technology Modesty Panel; contains two (2) power blocks for each table.
- Each power block accepts a duplex receptacle, providing up to four (4) outlets.
- Installs without tools.

Duplex Receptacle



- Mounts into the power assembly's power block.
- An installation's electrical requirements determines the number of receptacles and electrical circuits required. (See electrical planning details on pages 382-383)

Power Jumpers



- Transfers power from table to table.
- Available in three lengths based on the power transfer application:
  - — Table to table (30" length)
  - — Table to table, beneath a connection top or quarter round (42" length)

Plug Strip



- Designed for applications requiring less-extensive power requirements.
- Provides four (4) surge-protected electrical outlets from one 10'-long plug-in infeed.
- Mounts to Technology Modesty Panel in two locations, offering a maximum of eight (8) electrical outlets per modesty panel.

Power In-feed

- Carries electricity from the building's power source through the table's leg and into the Technology Modesty Panel, connecting to the table's power assembly.
- Enters the inside leg cover of any table in a configuration.
- Available in plug-in or hardwire options.



Plug-in In-feed

- Plugs into a 120 volt/20 amp receptacle, activating circuit #1 only.
- Equipped with 2' cord; table must be placed within 18" of receptacle.

Hardwire Option

- Activates up to four (4) circuits.
- Equipped with 7' cord.
- Must be installed by licensed electrician.

Electrical Planning

All circuits require a hot, neutral, and ground wire to be complete.

Satellite Training Table's 8-wire electrical system consists of the following:

Circuit #1
Circuit #2
Circuit #3
— share neutral and ground

Circuit #4 — share neutral and isolated ground



Each circuit is rated for a maximum of 20 amps of intermittent use or 16 amps of continuous load (continuous load defined as three hours or more of constant use). Nucraft recommends planning for continuous load. The National Electrical Code (NEC) restricts a 20 amp circuit to a maximum of 24 receptacles. In Canada, the national system is rated for 15 amps, and receptacles are limited to 20.

NOTE: The above standards are maximum amounts only. The equipment in a typical computer training application will often consume the amperage capacity using less than 24 receptacles. Always check your local codes for restrictions.

How To Determine What You Need

Before ordering or installing any electrical component, first consult with a licensed electrician.

1. Design The Furniture Layout

- Survey user needs and future reconfiguration requirements.
- Note the location of building power sources in the room; it may be necessary for the electrical contractor to re-route power to a more convenient outlet location.

2. Make An Equipment List

- Remember to consider equipment that may be added in the future.

3. Find The Amps

- Look for amperage information on each equipment item, either on the manufacturer's nameplate or in the user manual.
- Amperage is typically displayed as follows:
  INPUT: 120V—1.8A (amperage shown here is 1.8)
- Round decimals up to the next whole number (1.8 would become 2).
- If the equipment power consumption is listed as watts, convert watts to amps using this formula:
  Watts ÷ Volts = Amps

Satellite® Planning

Electrical Planning

How To Determine What You Need, continued

4. Total The Amps

- Multiply the amperage by the number of corresponding equipment items.

Equipment	Amps	Qty.	Total Amps
CPUs	3	6	18
Monitors	1	6	6
Printers	6	1	6
Lamps (future expansion)	1	6	6
			36

5. Divide Total Amps By 16 To Determine Number of Circuits

- Remember, the total amps available on each circuit (for continuous load) is 16.
- Divide 36 by 16.
- Take the new number — in this case 2.25 — and round it up to the next whole number (3).
- The result is that 3 circuits would be required, per each hardwire power infeed, to power the equipment listed.

6. Specify Products and Components.

- See the sample furniture layout below.

Voice/Data Planning

Nucraft does not provide modular furniture faceplates and data connectors due to the vast variety of voice/data connectors available in the marketplace. Faceplates and connectors are customer supplied.

Nucraft recommends consulting an audio visual (AV) integrator for assistance with voice/data planning.

Modular Furniture Cutout Opening Dimensions



Voice/Data Product Manufacturers

Manufacturer	Phone Number	Web Site
AMP	1-800-522-6752	www.tycoelectronics.com
Avaya	1-866-462-8292	www.avaya.com
Leviton	1-800-722-2082	www.leviton.com
Panduit	1-800-777-3300	www.panduit.com
Siemon	1-860-945-4200	www.siemon.com

Satellite® Planning

Round Grommet or Tech Node Locations

Rectangle

Grommet



Tech Node







Half-Round

Grommet



Tech Node



Arc Trapezoid

Grommet



Tech Node



Trapezoid

Grommet



Tech Node



Satellite® Shared Leg Tables

Specification Information

Satellite Shared Leg Tables are specified with legs and tops separately.

How to Determine the Quantity of Legs

Legs need to be specified based on the number of seams between tables and end of run. **Please note that each Sight Line top, Double Radius table and Half-Round table requires an additional leg for support.**

Vignette 1



Qty	Model Number	Description
6	SST-2460	60″ Rectangle Top
4	SSQ-2424	24″ Quarter Round Top
10	STC-24	24″ C Leg

Vignette 2



Qty	Model Number	Description
5	SST-2460	60″ Rectangle Top
2	SSQ-2424	24″ Quarter Round Top
8	STC-24	24″ C Leg

Vignette 3



Qty	Model Number	Description
4	SST-2460	60″ Rectangle Top
4	SSQ-2424	24″ Quarter Round Top
8	STC-24	24″ C Leg

Vignette 4



Qty	Model Number	Description
2	SST-2460	60″ Rectangle Top
2	SSH-2448	48″ Half-Round Top
6	STC-24	24″ C Leg

Vignette 5

Qty	Model Number	Description
4	SST-2460	60″ Rectangle Top
5	STC-24	24″ C Leg

Vignette 6

Qty	Model Number	Description
2	SST-2460	60″ Rectangle Top
3	STC-24	24″ C Leg

Vignette 7



Qty	Model Number	Description
4	SST-2460	60″ Rectangle Top
1	SSZ-2448	Trapezoid Top
6	STC-24	24″ C Leg

Vignette 8



Qty	Model Number	Description
6	SSZ-2448	Trapezoid Top
6	STC-24	24″ C Leg

Vignette 9



Qty	Model Number	Description
1	SSS-6024-25	Sight Line Top
4	SST-2460	60″ Rectangle Top
7	STC-24	24″ C Leg

Vignette 10



Qty	Model Number	Description
2	SSD-2472	72″ Double Radius Top
2	SST-2472-T	72″ Rectangle Top
6	STC-24	24″ C Leg

Satellite® Shared Leg Tops

			Price				
			Laminate Top Modular PVC Edge PV-	Laminate Top Modular Wood Edge PW-	Laminate Top Comfort Wood Edge PC-	Veneer Top Modular Wood Edge WW-	Veneer Top Comfort Wood Edge WC-
Rectangle (Top Only)	**Model #**	**L x W**					
	SST-2442-[ ]	42 x 24	515	920	1012	984	1082
	SST-2448-[ ]	48 x 24	554	990	1088	1059	1164
	SST-2460-[ ]	60 x 24	632	1129	1241	1208	1328
	SST-2472-[ ]	72 x 24	711	1269	1396	1358	1493
	SST-3042-[ ]	42 x 30	584	1043	1146	1115	1226
	SST-3048-[ ]	48 x 30	632	1129	1241	1208	1328
	SST-3060-[ ]	60 x 30	730	1304	1434	1395	1533
	SST-3072-[ ]	72 x 30	828	1478	1625	1581	1738
	SST-3660-[ ]	60 x 36	828	1478	1625	1581	1738
	SST-3672-[ ]	72 x 36	945	1688	1856	1805	1985
Trapezoid (Top Only)	**Model #**	**A x B x C**					
	SSZ-2448-[ ]	48 x 24 x 24	720	1286	1414	1376	1512
	SSZ-3060-[ ]	60 x 30 x 30	949	1695	1864	1813	1993
Arc Trapezoid (Top Only)	**Model #**	**A x B x C**					
	SSA-2442-[ ]	42 x 24 x 8	695	1242	1365	1328	1460
	SSA-2448-[ ]	48 x 24 x 14	748	1336	1469	1429	1571
	SSA-2460-[ ]	60 x 24 x 26	854	1525	1676	1631	1793
	SSA-2472-[ ]	72 x 24 x 38	959	1713	1883	1832	2014
	SSA-3048-[ ]	48 x 30 x 6	854	1525	1676	1631	1793
	SSA-3060-[ ]	60 x 30 x 18	986	1760	1936	1883	2070
	SSA-3660-[ ]	60 x 36 x 9	1118	1996	2195	2135	2347
	SSA-3672-[ ]	72 x 36 x 21	1276	2278	2505	2437	2679



Options:

For Rectangle Top:

Grommet: Add **-G** — (1) Grommet on 42"-48" tables, Add $134 (3-1/2" from back edge centered)
(2) Grommets on 60"-72" tables, Add $268 (3-1/2" from back edge, 7" from sides)

Modesty Panel Cover: See page 394 for information

For Trapezoid & Arc Trapezoid

Grommets: Add **-G** — (1) grommet on all sizes, Add $134

All Tops

Power & Voice/Data: See page 393

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)
See pages 6-7 for surface material options.

Laminate Top/Modular PVC Edge [PV]
- Choose Laminate
- Choose PVC color
- Choose Applicable Leg Model number. See Page 388

Laminate Top/Modular Wood Edge [PW]
- Choose Wood Species & Finish
- Choose Laminate
- Choose Applicable Leg Model number. See Page 388

Laminate Top/Comfort Wood Edge [PC]
- Choose Wood Species & Finish
- Choose Laminate
- Choose Applicable Leg Model number. See Page 388

Veneer Top/Modular Wood Edge [WW]
- Choose Wood Species & Finish
- Choose Applicable Leg Model number. See Page 388

Veneer Top/Comfort Wood Edge [WC]
- Choose Wood Species & Finish
- Choose applicable leg model number. See Page 388

PV - Modular PVC Edge (Laminate tops only)

PW and **WW** - Modular Wood Edge

PC and **WC** - Comfort Wood Edge

General Information:
- **Note:** Due to the modular nature of these tables, exact grain matching between tables is not possible
- Tops are 1-1/4" thick and available in laminate or veneer surfaces
- PVC edges have a 2" corner radius and wood edges have 1/4" radius
- Comfort wood edge is 2-1/8" wide with a waterfall hardwood curved edge on the users side only; the other (3) sides have a 1/4" square hardwood edge

Satellite® Shared Leg Tops

Double Radius (Top Only)	Model #	L x W	Opening	Price: Laminate Top Modular PVC Edge PV-	Laminate Top Modular Wood Edge PW-	Laminate Top Comfort Wood Edge PC-	Veneer Top Modular Wood Edge WW-	Veneer Top Comfort Wood Edge WC-
	SSD-2460-[ ]	60 x 24		835	1491	1639	1594	1753
	SSD-2472-[ ]	72 x 24		938	1675	1841	1791	1969
	SSD-3072-[ ]	72 x 30		1093	1952	2146	2087	2295
Half-Round (Top Only)								
	SSH-2448-[ ]	48 x 24		665	1188	1306	1271	1397
	SSH-3060-[ ]	60 x 30		876	1565	1721	1674	1840
Quarter Round (Top Only)								
	SSQ-2424-[ ]	24 x 24		565	1009	1109	1079	1186
	SSQ-3030-[ ]	30 x 30		690	1232	1354	1317	1448
	SSQ-3636-[ ]	36 x 36		842	1504	1654	1609	1769
Sight Line (Top Only) - Use with 24" Wide Tops								
	SSS-4824-20-[ ]	48 x 24	20° Opening	604	1079	1186	1154	1269
	SSS-6024-20-[ ]	60 x 30	20° Opening	689	1231	1353	1316	1447
	SSS-4824-25-[ ]	48 x 24	25° Opening	604	1079	1186	1154	1269
	SSS-6024-25-[ ]	60 x 30	25° Opening	689	1231	1353	1316	1447
	SSS-4824-30-[ ]	48 x 24	30° Opening	604	1079	1186	1154	1269
	SSS-6024-30-[ ]	60 x 30	30° Opening	689	1231	1353	1316	1447
	SSS-4824-35-[ ]	48 x 24	35° Opening	604	1079	1186	1154	1269
	SSS-6024-35-[ ]	60 x 30	35° Opening	689	1231	1353	1316	1447
Sight Line (Top Only) - Use with 30" Wide Tops								
	SSS-6030-20-[ ]	60 x 30	20° Opening	796	1421	1562	1520	1671
	SSS-6030-25-[ ]	60 x 30	25° Opening	796	1421	1562	1520	1671
	SSS-6030-30-[ ]	60 x 30	30° Opening	796	1421	1562	1520	1671
	SSS-6030-35-[ ]	60 x 30	35° Opening	796	1421	1562	1520	1671

Options:
Modesty Panel Cover: See page 394 for information

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)
See pages 6-7 for surface material options.

Laminate top/Modular PVC Edge [PV]
- Choose Laminate
- Choose PVC color
- Choose Applicable Leg Model number. See Page 388

Laminate Top/Modular Wood Edge [PW]
- Choose Wood Species & Finish
- Choose Laminate
- Choose Applicable Leg Model number. See Page 388

Laminate Top/Comfort Wood Edge [PC]
- Choose Wood Species & Finish
- Choose Laminate
- Choose Applicable Leg Model number. See Page 388

Veneer Top/Modular Wood Edge [WW]
- Choose Wood Species & Finish
- Choose Applicable Leg Model number. See Page 388

Veneer Top/Comfort Wood Edge [WC]
- Choose Wood Species & Finish
- Choose applicable leg model number. See Page 388

PV - Modular PVC Edge (Laminate tops only)

PW and **WW** - Modular Wood Edge


PC and **WC** - Comfort Wood Edge

General Information:
- **Note:** Due to the modular nature of these tables, exact grain matching between tables is not possible
- Tops are 1-1/4" thick and available in laminate or veneer surfaces
- PVC edges have a 2" corner radius and wood edges have 1/4" radius
- Comfort wood edge is 2-1/8" wide with a waterfall hardwood curved edge on the users side only; the other (3) sides have a 1/4" square hardwood edge
- Corner Tops do not have ganging connectors and cannot be attached to a stationary table

Satellite® Shared Legs and Modesty Panels

Wire Management - Shared Legs Only	Model #	W x D x H	Description	Price
	STC-24	24 x 27-3/4 x 27-3/4	24″ C Leg	305
	STC-30	30 x 27-3/4 x 27-3/4	30″ C Leg	324
	STT-36	36 x 27-3/4 x 27-3/4	36″ T Leg	347



C Leg



T Leg

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)
See pages 6-7 for surface material options.
- Choose applicable model number:
  - 24″ D worksurfaces: **STC-24** C-leg
  - 30″ D worksurfaces: **STC-30** C-leg
  - 36″ D worksurfaces: **STT-36** T-leg
- Choose Powder Coated Metal Finish

General Information:
- Shared legs must be specified at each seam between tops and at the end of runs. See page 384 for typicals.
- Sight Line, Double Radius & Half-Rounds require an additional leg for support

Modesty Panel - Shared Legs Only	Model #	W x D x H	Description	Price
	SSMP-8	8 x 1-1/2 x 10-1/2	Modesty panel for quarter round	207
	SSMP-42	42 x 1-1/2 x 10-1/2	Modesty panel for 42″ rectangle table	319
	SSMP-48	48 x 1-1/2 x 10-1/2	Modesty panel for 48″ rectangle table	340
	SSMP-60	60 x 1-1/2 x 10-1/2	Modesty panel for 60″ rectangle table	378
	SSMP-72	72 x 1-1/2 x 10-1/2	Modesty panel for 72″ rectangle table	420





Wire Management Trough end view

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)
See pages 6-7 for surface material options.
- Choose Powder Coated Finish

General Information:
- Mounting brackets included
- Modesty panels attach with a bracket to the underside of the table tops
- J-channel wire management attached to back of Modesty Panel

Satellite® Stationary & Folding Tables





Stationary Tables	Model #	L x W x H	Price Laminate Top Modular PVC Edge PV-	Laminate Top Modular Wood Edge PW-	Laminate Top Comfort Wood Edge PC-	Veneer Top Modular Wood Edge WW-	Veneer Top Comfort Wood Edge WC-
T-Legs							
	STT-2442-[ ]	42 x 24 x 29	1165	1570	1662	1634	1732
	STT-2448-[ ]	48 x 24 x 29	1204	1640	1738	1709	1814
	STT-2460-[ ]	60 x 24 x 29	1282	1779	1891	1858	1978
	STT-2472-[ ]	72 x 24 x 29	1361	1919	2046	2008	2143
	STT-3042-[ ]	42 x 30 x 29	1234	1693	1796	1765	1876
	STT-3048-[ ]	48 x 30 x 29	1282	1779	1891	1858	1978
	STT-3060-[ ]	60 x 30 x 29	1380	1954	2084	2045	2183
	STT-3072-[ ]	72 x 30 x 29	1478	2128	2275	2231	2388
	STT-3660-[ ]	60 x 36 x 29	1478	2128	2275	2231	2388
	STT-3672-[ ]	72 x 36 x 29	1595	2338	2506	2455	2635
C-Legs							
	SCT-2442-[ ]	42 x 24 x 29	1165	1570	1662	1634	1732
	SCT-2448-[ ]	48 x 24 x 29	1204	1640	1738	1709	1814
	SCT-2460-[ ]	60 x 24 x 29	1282	1779	1891	1858	1978
	SCT-2472-[ ]	72 x 24 x 29	1361	1919	2046	2008	2143
	SCT-3042-[ ]	42 x 30 x 29	1234	1693	1796	1765	1876
	SCT-3048-[ ]	48 x 30 x 29	1282	1779	1891	1858	1978
	SCT-3060-[ ]	60 x 30 x 29	1380	1954	2084	2045	2183
	SCT-3072-[ ]	72 x 30 x 29	1478	2128	2275	2231	2388





Folding Tables	Model #	L x W x H	Weight				
T-Legs							
	STT-2460-F-[ ]	60 x 24 x 29	71	1478	1975	2087	2054	2174
	STT-2472-F-[ ]	72 x 24 x 29	80	1557	2115	2242	2204	2339
	STT-3060-F-[ ]	60 x 30 x 29	83	1576	2150	2280	2241	2379
	STT-3072-F-[ ]	72 x 30 x 29	94	1674	2324	2471	2427	2584
	STT-3660-F-[ ]	60 x 36 x 29	94	1674	2324	2471	2427	2584
	STT-3672-F-[ ]	72 x 36 x 29	108	1791	2534	2702	2651	2831
C-Legs							
	SCT-2460-F-[ ]	60 x 24 x 29	71	1478	1975	2087	2054	2174
	SCT-2472-F-[ ]	72 x 24 x 29	80	1557	2115	2242	2204	2339
	SCT-3060-F-[ ]	60 x 30 x 29	83	1576	2150	2280	2241	2379
	SCT-3072-F-[ ]	72 x 30 x 29	94	1674	2324	2471	2427	2584

Options:

Grommet:	Add **-G**	(1) Grommet on 42"-48" tables, Add $134 (2) Grommets on 60"-72" tables, Add $268
Locking Casters:	Add **-LC**	Add $206 per table (tables with casters are 29-1/2" high)
Ganging Connectors:	Add **-GC**	Add $150 per table (for end-to-end connections only)
Modesty Panel Cover:		See page 394 for information
Power & Voice/Data:		See Page 387



Ganging Connector
-GC

PV - Modular PVC Edge
(Laminate tops only)

PW and **WW** - Modular Wood Edge



PC and **WC** - Comfort Wood Edge

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)
See pages 6-7 for surface material options.

Laminate Top/Modular PVC Edge [PV]
- Choose Laminate
- Choose PVC color
- Choose Powder Coated Metal Finish

Laminate Top/Modular Wood Edge [PW]
- Choose Wood Species & Finish
- Choose Laminate
- Choose Powder Coated Metal Finish

Laminate Top/Comfort Wood Edge [PC]
- Choose Wood Species & Finish
- Choose Laminate
- Choose Powder Coated Metal Finish

Veneer Top/Modular Wood Edge [WW]
- Choose Wood Species & Finish
- Choose Powder Coated Metal Finish

Veneer Top/Comfort Wood Edge [WC]
- Choose Wood Species & Finish
- Choose Powder Coated Metal Finish

General Information:
- **NOTE:** Due to the modular nature of these tables, exact grain matching between tables is not possible
- Tops are 1-1/4" thick and available in laminate or veneer surfaces
- PVC edges have a 2" corner radius and wood edges have 1/4" radius
- Comfort wood edge is 2-1/8" wide with a waterfall hardwood curved edge on the users side only; the other (3) sides have a 1/4" square hardwood edge

Satellite® Stationary Tables

			Price				
			Laminate Top Modular PVC Edge PV-	Laminate Top Modular Wood Edge PW-	Laminate Top Comfort Wood Edge PC-	Veneer Top Modular Wood Edge WW-	Veneer Top Comfort Wood Edge WC-
Half-Round	**Model #**	**Length x Width x Heigth**					
	T-Legs						
	STH-2448-[ ]	48 x 24 x 29	1315	1838	1956	1921	2047
	STH-3060-[ ]	60 x 30 x 29	1526	2215	2371	2324	2490
	STH-3672-[ ]	72 x 36 x 29	1784	2676	2877	2816	3032
	C-Legs						
	SCH-2448-[ ]	48 x 24 x 29	1315	1838	1956	1921	2047
	SCH-3060-[ ]	60 x 30 x 29	1526	2215	2371	2324	2490
Trapezoid	**Model #**	**A x B x C x Height**					
	T-Legs						
	STZ-2448-[ ]	48 x 24 x 24 x 29	1370	1936	2064	2026	2162
	STZ-3060-[ ]	60 x 30 x 30 x 29	1599	2345	2514	2463	2643
	STZ-3672-[ ]	72 x 36 x 36 x 29	1879	2844	3063	2997	3230
	C-Legs						
	SCZ-2448-[ ]	48 x 24 x 24 x 29	1370	1936	2064	2026	2162
	SCZ-3060-[ ]	60 x 30 x 30 x 29	1599	2345	2514	2463	2643
Arc Trapezoid T-Legs	**Model #**	**A x B x C x Height**					
	STAZ-2442-[ ]	42 x 24 x 8 x 29	1345	1892	2015	1978	2110
	STAZ-2448-[ ]	48 x 24 x 14 x 29	1398	1986	2119	2079	2221
	STAZ-2460-[ ]	60 x 24 x 26 x 29	1504	2175	2326	2281	2443
	STAZ-2472-[ ]	72 x 24 x 38 x 29	1609	2363	2533	2482	2664
	STAZ-3048-[ ]	48 x 30 x 6 x 29	1504	2175	2326	2281	2443
	STAZ-3060-[ ]	60 x 30 x 18 x 29	1636	2410	2586	2533	2720
	STAZ-3072-[ ]	72 x 30 x 30 x 29	1768	2646	2845	2785	2997
	STAZ-3660-[ ]	60 x 36 x 9 x 29	1768	2646	2845	2785	2997
	STAZ-3672-[ ]	72 x 36 x 21 x 29	1926	2928	3155	3087	3329

Options:

Half-Round

Grommet:	Add **-G**	(1) grommet, Center Back, add $134
Locking Casters:	Add **-LC**	Add $206 per table
Ganging Connectors:	Add **-GC**	Add $150 per table

Trapezoid & Arc Trapezoid

Grommets:	Add **-G**	(1) grommet on all sizes, add $134
Locking Casters:	Add **-LC**	$206 per table
Ganging Connectors:	Add **-GC**	$150 per table

All

Power & Voice/Data: See Page 387

Grommet
-G



Ganging Connector
-GC

PV - Modular PVC Edge
(Laminate tops only)

PW and **WW** - Modular Wood Edge



PC and **WC** - Comfort Wood Edge

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)
See pages 6-7 for surface material options.

Laminate Top/Modular PVC Edge [PV]
- Choose Laminate
- Choose PVC color
- Choose Powder Coated Metal Finish

Laminate Top/Modular Wood Edge [PW]
- Choose Wood Species & Finish
- Choose Laminate
- Choose Powder Coated Metal Finish

Laminate Top/Comfort Wood Edge [PC]
- Choose Wood Species & Finish
- Choose Laminate
- Choose Powder Coated Metal Finish

Veneer Top/Modular Wood Edge [WW]
- Choose Wood Species & Finish
- Choose Powder Coated Metal Finish

Veneer Top/Comfort Wood Edge [WC]
- Choose Wood Species & Finish
- Choose Powder Coated Metal Finish

General Information:
- **NOTE:** Due to the modular nature of these tables, exact grain matching between tables is not possible
- Tops are 1-1/4" thick and available in laminate or veneer surfaces
- PVC edges have a 2" corner radius and wood edges have 1/4" radius
- Comfort wood edge is 2-1/8" wide with a waterfall hardwood curved edge on the users side only; the other (3) sides have a 1/4" square hardwood edge
- Modesty panels not available on Trapezoid and Arc Trapezoid

Satellite® Stationary Tables & Suspended Tops

Quarter Round Top and Bases	Model:	L x W	Price Laminate Top Modular PVC Edge PV-	Laminate Top Modular Wood Edge PW-	Laminate Top Comfort Wood Edge PC-	Veneer Top Modular Wood Edge WW-	Veneer Top Comfort Wood Edge WC-
	T-Leg						
	STQ-2424-[ ]	24 x 24	1215	1659	1759	1729	1836
	STQ-3030-[ ]	30 x 30	1340	1882	2004	1967	2098
	STQ-3636-[ ]	36 x 36	1492	2154	2304	2259	2419
	C-Leg						
	SCQ-2424-[ ]	24 x 24	1064	1296	1368	1356	1433
	SCQ-3030-[ ]	30 x 30	1294	2215	2375	1751	1861

Connecting Tops (NO LEGS)							
	15°						
	SSC-2424-15-[ ]	24 x 24	706	1150	1250	1220	1327
	SSC-3030-15-[ ]	30 x 30	831	1373	1495	1458	1589
	30°						
	SSC-2424-30-[ ]	24 x 24	706	1150	1250	1220	1327
	SSC-3030-30-[ ]	30 x 30	831	1373	1495	1458	1589
	45°						
	SSC-2424-45-[ ]	24 x 24	706	1150	1250	1220	1327
	SSC-3030-45-[ ]	30 x 30	831	1373	1495	1458	1589
	60°						
	SSC-2424-60-[ ]	24 x 24	706	1150	1250	1220	1327
	SSC-3030-60-[ ]	30 x 30	831	1373	1495	1458	1589
	Quarter Round						
	SSQ-2424-[ ]-GC	24 x 24	565	1009	1109	1079	1186
	SSQ-3030-[ ]-GC	30 x 30	690	1232	1354	1317	1448

Options:
Modesty Panel Cover: See page 394. SMP-8 is designed for these shape tables
Locking Casters: Add **-LC** $206 per table (quarter Round top with legs)

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)
See pages 6-7 for surface material options.

Laminate Top/Modular PVC Edge [PV]
- Choose Laminate
- Choose PVC color
- Choose Powder Coated Metal Finish (STQ and SCQ only)

Laminate Top/Modular Wood Edge [PW]
- Choose Wood Species & Finish
- Choose Laminate
- Choose Powder Coated Metal Finish (STQ and SCQ only)

Laminate Top/Comfort Wood Edge [PC]
- Choose Wood Species & Finish
- Choose Laminate
- Choose Powder Coated Metal Finish (STQ and SCQ only)

Veneer Top/Modular Wood Edge [WW]
- Choose Wood Species & Finish
- Choose Powder Coated Metal Finish (STQ and SCQ only)

Veneer Top/Comfort Wood Edge [WC]
- Choose Wood Species & Finish
- Choose Powder Coated Metal Finish (STQ and SCQ only)

PV - Modular PVC Edge
(Laminate tops only)

PW and **WW** - Modular Wood Edge

PC and **WC** - Comfort Wood Edge


Ganging Connector

General Information:
- **NOTE:** Due to the modular nature of these tables, exact grain matching between tables is not possible
- Tops are 1-1/4" thick and available in laminate or veneer surfaces
- PVC edges have a 2" corner radius and wood edges have 1/4" radius
- Comfort wood edge is 2-1/8" wide with a waterfall hardwood curved edge on the users side only; the other (3) sides have a 1/4" square hardwood edge
- Grommets & Tech Nodes are not available
- Ganging Connectors are included. Adjacent table must also be ordered with ganging hardware.
- Modesty panels will default to finish of legs unless otherwise specified.

Satellite® Computer Training Tables

Rectangle Stationary Table	Model #	L x W x H	Price: Laminate Top Modular PVC Edge PV-	Laminate Top Modular Wood Edge PW-	Laminate Top Comfort Wood Edge PC-	Veneer Top Modular Wood Edge WW-	Veneer Top Comfort Wood Edge WC-
	SCT-2442-W-[ ]	42 x 24 x 29	1776	2181	2272	2245	2343
	SCT-2448-W-[ ]	48 x 24 x 29	1866	2301	2399	2370	2475
	SCT-2460-W-[ ]	60 x 24 x 29	2045	2541	2654	2620	2740
	SCT-2472-W-[ ]	72 x 24 x 29	2224	2783	2909	2871	3006
	SCT-3042-W-[ ]	42 x 30 x 29	1845	2303	2407	2376	2486
	SCT-3048-W-[ ]	48 x 30 x 29	1944	2440	2553	2519	2639
	SCT-3060-W-[ ]	60 x 30 x 29	2143	2716	2846	2807	2946
	SCT-3072-W-[ ]	72 x 30 x 29	2341	2992	3139	3094	3251
Rectangle Folding Table	**Model #**	**L x W x H**					
	SCT-2460-FW-[ ]	60 x 24 x 29	2241	2737	2850	2816	2936
	SCT-2472-FW-[ ]	72 x 24 x 29	2420	2979	3105	3067	3202
	SCT-3060-FW-[ ]	60 x 30 x 29	2339	2912	3042	3003	3142
	SCT-3072-FW-[ ]	72 x 30 x 29	2537	3188	3335	3290	3447

Options:
Accessories for Technology Modesty Panel. See page 393

Locking Casters:	Add **-LC**	Add $206 per table. Tables with casters are 29-1/2" high.
Ganging Connectors:	Add **-GC**	Add $150 per table. (Ganging connectors are for end-to-end connections only)
Grommet:	Add **-G**	(1) Grommet on 42"-48" tables, Add $134 (2) Grommets on 60"-72" tables, Add $268
Power & Data:		See page 393 for info.


Ganging Connector **-GC**

PV - Modular PVC Edge
(Laminate tops only)

PW and **WW** - Modular Wood Edge

PC and **WC** - Comfort Wood Edge

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)
See pages 6-7 for surface material options.

Laminate Top/Modular PVC Edge [PV]
- Choose Laminate
- Choose PVC color
- Choose Powder Coated Metal Finish for Legs:
- Choose Powder Coated Finish for Modesty Panel

Laminate Top/Modular Wood Edge [PW]
- Choose Wood Species & Finish
- Choose Laminate
- Choose Powder Coated Metal Finish for Legs:
- Choose Powder Coated Finish for Modesty Panel

Laminate Top/Comfort Wood Edge [PC]
- Choose Wood Species & Finish
- Choose Laminate selection
- Choose Powder Coated Metal Finish for Legs:
- Choose Powder Coated Finish for Modesty Panel

Veneer Top/Modular Wood Edge [WW]
- Choose Wood Species & Finish
- Choose Powder Coated Metal Finish for Legs:
- Choose Powder Coated Finish for Modesty Panel

Veneer Top/Comfort Wood Edge [WC]
- Choose Wood Species & Finish
- Choose Powder Coated Metal Finish for Legs:
- Choose Powder Coated Finish for Modesty Panel

General Information:
- **NOTE:** Due to the modular nature of these tables, exact grain matching between tables is not possible
- Tops are 1-1/4" thick and available in laminate or veneer surfaces
- PVC edges have a 2" corner radius and wood edges have 1/4" radius
- Comfort wood edge is 2-1/8" wide with a waterfall hardwood curved edge on the users side only; the other (3) sides have a 1/4" square hardwood edge.
- Computer training tables come with two inside leg covers featuring additional cut-outs for routing power into modesty panel
- Modesty panel will default to finish of legs unless otherwise specified.

Satellite® Technology Modesty Panel Components

Power Assembly	Model #	For Use With:	Price
	SPA-42	42″ Table	212
	SPA-48	48″ Table	212
	SPA-60	60″ Table	212
	SPA-72	72″ Table	212

General Information:
- Field Installed into Technology Modesty Panel
- Order (2) Duplex Receptacles per Power Assembly

Duplex Receptacles	Model #	Description	Price
	SDR-1	For Circuit 1	29
	Hardwire Infeed Only		
	SDR-2	For Circuit 2	29
	SDR-3	For Circuit 3	29
	SDR-4	For Circuit 4 (isolated and dedicated circuit)	29

General Information:
- Field installed into Power Assembly

Power Jumpers	Model #	For Use With:	Price
	SPJ-TT	30″ from Table to Table	143
	SPJ-TQ	42″ beneath a Connecting Top or Quarter Round Top	143

Power Infeeds	Model #	Description	Price
 SPI-H SPI-P	SPI-H	Hardwire Power Infeed	277
	SPI-P	Plug-in Power Infeed	277

General Information:
- Power infeed enters the inside leg of a training table.
- Hardwire infeed includes 7′ flexible conduit
- Hardwire power infeed must be installed by an electrician
- Plug-in power infeed includes 2′ cord and powers only circuit 1 (Duplex Receptacles - SDR-1)
- Plug-in power infeed requires a 20 amp, 120 volt receptacle for plug-in

Plug Strip	Model #	Price
	SOA-100	102

General Information:
- 15 amps - Mounts into Technology Modesty Panel
- Includes (4) outlets, surge protection and 10′ electrical cord

Chicago Electric Housing Option	Model #	Description	Price
	SPA-CHI	Chicago Electrical Housing	107

General Information:
- Many areas of the City of Chicago require hardwiring of all components and do not allow the use of standard modular power systems
- This housing is a convenient device that mounts into the Technology Modesty Panel and allows the electrician to hardwire the electrical components
- Fits standard size electrical receptacles
- Order (2) for each table

Satellite® Table Accessories

Tech Node	Model #	L x W	Price
	PUP	8 x 4	331
	PUP-USB	8 x 4	395



General Information:
- PUP option includes two simplex receptacles and two voice/data openings
- PUP-USB option includes two simplex receptacles, one dual USB charger and one voice/data openings
- 10' cord and a 15amp plug-in power in-feed
- Voice/data modules must be ordered separately; contact your local AV integrator
- Default color to metal finish specified on tables (Shadow and Galaxy receives Black Anodized Tech Node, Cloud, Burnished, and Foil receives Clear Anodized)
- UL listed
- Detailed planning information found on Page 430
- One Tech Node per table, centered on Trapezoid 48" or bigger only

Modesty Panel Cover - J-channel wire management (Non-Powered)	W x D x H	For Use With:	
SMP-8	8 x 1-1/2 x 10-1/2	For quarter round or connecting top	208
SMP-42	42 x 1-1/2 x 10-1/2	For 42" rectangle table	318
SMP-48	48 x 1-1/2 x 10-1/2	For 48" rectangle table	339
SMP-60	60 x 1-1/2 x 10-1/2	For 60" rectangle table	376
SMP-72	72 x 1-1/2 x 10-1/2	For 72" rectangle table	418





Wire Management J-channel end view

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)
- Choose Powder Coated Finish: Cloud (A8004), Burnished (A8009), Foil (A8006), Shadow (A8005), Galaxy (A8007)

General Information:
- Wire management capable only. (No electrical, voice or data connections)
- 42"-72" modesty panel covers attach to the legs with a bracket which is provided
- 8" modesty panel covers attach with a bracket
- J-channel wire management comes attached to the back of the modesty panel cover
- Cannot be used with T-Legs

Technology Modesty Panel - Field Conversion Kit	W x D x H	For Use With:	
Stationary Table – Modesty Panel and Leg Covers			
SWMP-42	42 x 7 x 10-1/2	For 42" stationary table	649
SWMP-48	48 x 7 x 10-1/2	For 48" stationary table	703
SWMP-60	60 x 7 x 10-1/2	For 60" stationary table	808
SWMP-72	72 x 7 x 10-1/2	For 72" stationary table	916
Folding Table – Modesty Panel and Leg Covers			
SWMP-60F	60 x 7 x 10-1/2	For 60" folding table	808
SWMP-72F	72 x 7 x 10-1/2	For 72" folding table	916



REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)
See pages 6-7 for surface material options.
- Choose Powder Coated Metal Finish\

General Information:
- Used only for converting non-computer tables in the field
- No tools required for attachment
- Includes Technology Modesty Panel and replacement leg covers only. Electrical components must be purchased separately

Satellite® Dollies

Table Storage Dolly	Model #	W x D x H	Description	Price
	SDOLLY	48 x 31 x 39-1/2	Standard Dolly	2106
	SDOLLY-R	48 x 31 x 68-1/2	With modesty panel racks	2557

General Information:

- 6" casters
- Black finish
- Accommodates all table sizes
- 6 table capacity per dolly
- Optional modesty panel rack holds 6 modesty panels
- Modesty panel rack has 11" long rods spaced 9-1/2" apart
- Shipped set up
- Dollies are for use with folding tables only

SATELLITE

Planning Guide + Price List 2015

NUCRAFT

877 - NUCRAFT | nucraft.com
5151 West River Dr. Comstock Park, MI 49321